PAPER • OPEN ACCESS

Elastic and Inelastic Scattering of Deuterons From $^{\rm 13}{\rm C}$

To cite this article: N Burtebayev et al 2020 J. Phys.: Conf. Ser. 1555 012028

View the article online for updates and enhancements.

You may also like

- Application of statistical analysis method to determine distribution of sulfur dioxide and phosphorus oxides emissions from industrial enterprise "KazFosfat" R Kh Turgumbayeva, M N Abdikarimov, R Mussabekov et al.
- <u>Sustainable development issues of Almaty</u> as the largest metropolis in Central Asia G Alibekova, A Panzabekova, Z Satpayeva et al.
- <u>The conservation of ecosystem and</u> <u>biological diversity in Alakol Biosphere</u> <u>Reserve (East Kazakhstan)</u>
 R Jashenko, E Maltseva and V Ilina



The Electrochemical Society Advancing solid state & electrochemical science & technology

242nd ECS Meeting

Oct 9 – 13, 2022 • Atlanta, GA, US Early hotel & registration pricing ends September 12

Presenting more than 2,400 technical abstracts in 50 symposia

The meeting for industry & researchers in

ENERGY TECHNOLOG



ECS Plenary Lecture featuring M. Stanley Whittingham, Binghamton University Nobel Laureate – 2019 Nobel Prize in Chemistry



This content was downloaded from IP address 82.200.168.90 on 10/08/2022 at 11:15

ELASTIC AND INELASTIC SCATTERING OF DEUTERONS FROM ¹³C

N Burtebayev¹, D M Janseitov^{1,2,3}, Zh Kerimkulov¹, D Alimov¹, M Nassurlla¹, D S Valiolda^{2,3}, B Mauyey^{2,6}, A S Demyanova⁴, A N Danilov⁴, Sh Hamada⁵ and A Aimaganbetov⁶

¹ Institute of Nuclear Physics, 050032 Ibragimova 1, Almaty, Kazakhstan

² Joint Institute for Nuclear Research, 141980 Joliot-Curie 6, Dubna, Russia

³ al-Farabi Kazakh National University, 050040 al-Farabi 71, Almaty, Kazakhstan

⁴ NRC Kurchatov Institute, 123182 Akademika Kurchatova pl. 1, Moscow, Russia

⁵ Faculty of Science, Tanta University, 31512 Al-Geish, Tanta, Egypt

⁶ L.N. Gumilyov Eurasian National University, 010008 Satpayev 2, Nur-Sultan, Kazakhstan

E-mail: janseit.daniar@gmail.com

Abstract. The differential cross-sections of deuteron elastic and inelastic scattering on ^{13}C target were measured at the cyclotron U-150M INP, Almaty, Kazakhstan. Accelerated deuteron ion energy was 14.5 MeV. The results of the study are new experimental data for the $d + {}^{13}C$ process of elastic and inelastic scattering to the 3.68 $(3/2^{-})$, 6.86 $(5/2^{+})$ and 7.55 $(5/2^{-})$ MeV excited states of the ¹³C nucleus. The optical model with either a Woods–Saxon potential or a double folding model were used for analyzing the experimental results on elastic scattering. We performed theoretical calculations within the framework the coupled channel (CC) method for the indicated excited states. The optimal deformation parameters for the excited states of ^{13}C nucleus were extracted.

1. Introduction

One of the main sources of obtaining knowledge about the properties of ground and low lying excited states of nuclei is investigation of elastic and inelastic scattering processes of light charged particles, such as deuterons and α particles. The nucleus ¹³C is interesting by reason of consisting of the following types of structure: the first excited state 3.09 MeV with neutron halo $(1/2^+)$ [1-3], analogue 8.86 MeV $(1/2^{-})$ [3,4] of the Hoyle state in ¹²C and the recent discovery of over a compact size of the excited state 9.9 MeV $(3/2^{-})$ [3,5,6]. A substantial portion this knowledge comes from analysis of experiments on elastic and inelastic scattering [7]. At present, there is not enough experimental data from deuteron interactions with the ¹³C nucleus. Very few works studied elastic and inelastic deuterons scattering processes on ^{13}C [8-10]. Information about the mechanism of inelastic scattering is completely missing.

The differential cross sections of elastic and inelastic scattering of deuterons on ^{13}C were measured at an incident energy of E(d) = 14.5 MeV. Analysis of the elastic-scattering data was implemented in the framework of the optical model in agreement with analyses of other ¹³C(d,d)¹³C differential cross-section data in the energy range 13.7-18 MeV [8-10].

In this work, by using the coupled channels (CCs) method, from the theoretical description of the experimental data of inelastic scattering, we attempted to find the optimal deformation

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

XXIII International School on Nuclear Physic	cs, Neutron Physics and App	olications	IOP Publishing
Journal of Physics: Conference Series	1555 (2020) 012028	doi:10.1088/1742	2-6596/1555/1/012028

parameters for the ¹³C nucleus excited states (3.68 MeV (3/2⁻), 6.86 MeV (5/2⁺) and 7.55 MeV $(5/2^{-})$).

2. Results and discussion

The experimental angular distributions of elastic and inelastic scattering of deuterons on the nucleus 13 C were measured with an ion beam from the cyclotron U-150M at the Institute of Nuclear Physics (Almaty, Kazakhstan) at energy E(d)=14.5 MeV in the angular range of 10-100 degrees in laboratory system of coordinates.



Figure 1. Energy spectrum of ${}^{13}C(d,d){}^{13}C$ at angle 36^0 .

The collimation tube consisting of two diaphragms with diameter 2 mm were used for optimal focusing of the accelerated ions beam on the target and anti-scattering diaphragm at the end of the tube. The registration and identification of reaction products was performed by the ΔE -E method. As a target we used thin films of ¹³C (isotopic enrichment of about 80%) which were made using electron-beam sputtering. Several self-supporting films with a thickness of about 150 μ g/cm² were used at the time of acquisition and observing of data in the experiment. The details and more comprehensive description of the experimental setup is reported in [11]. The spectrum for the d + ¹³C nuclear system with indicated levels at 3.09 MeV (1/2⁺), 3.68 MeV (3/2⁻), 6.86 MeV (5/2⁺) and 7.55 MeV (5/2⁻) of ¹³C excited states at angle 36⁰ and at energy 14.5 MeV is shown in figure 1.

Calculations of differential cross-sections were carried out within the framework of the Optical model (OM) using FRESCO computer code [12]. The real and imaginary (with volume absorption) parts are included in the phenomenological Woods–Saxon (WS) potential. Our total real potential for these cases consists of the nuclear (V_{nucl}), spin-orbit (V_{so}) and the Coulomb (V_C) potentials, accordingly:

$$U(r) = V_{nucl}(r) + V_{so}(r)(\overline{ls}) + V_C(r)$$
(1)

where, the nuclear potential is assumed to have a Wood-Saxon shape:

$$V_{nucl}(r) = V_0 [1 + exp(\frac{r - R_v}{a_v})]^{-1} + iW[1 + exp(\frac{r - R_w}{a_w})]^{-1}.$$
(2)

the spin - orbit potential is:

$$V_{so}(r) = V_0^{so}(\frac{1}{r})\frac{d}{dr}[1 + exp(\frac{r - R_{so}}{a_{so}})]^{-1}.$$
(3)

and Coulomb potential of a uniform charged sphere

$$V_C(r) = \frac{Z_p Z_t e^2}{2R_C} (3 - \frac{r^2}{R_c^2}), \quad \text{for} \quad r \le R_C$$
$$V_C(r) = \frac{Z_p Z_t e^2}{r}, \quad \text{for} \quad r > R_C$$

with radius

$$R_i = r_i (A_p^{\frac{1}{3}} + A_t^{\frac{1}{3}}), \quad i = V, W, SO, C$$

where, V_0 is the Woods-Saxon potential depth, R the potential radius and *a* the diffuseness parameter which determines the sharpness of the potential surface. Larger values of *a* giving a softer surface. Z_p and Z_t are the proton numbers of the projectile and target of system, respectively.

The microscopic nuclear potential that we also used to analyze the experimental data for the $d+^{13}C$ system was based on the Double folding (DF) model [13]. DF potential is calculated by using the nuclear matter distributions of both projectile and target nuclei together with an effective nucleon-nucleon interaction potential (ν_{NN}). Thus, the DF potential is

$$V^{DF}(R) = \int d\mathbf{r}_1 \int d\mathbf{r}_2 \rho_p(\mathbf{r}_1) \rho_t(\mathbf{r}_2) \nu_{NN}(\mathbf{r}_{12})$$
(4)

 $\rho_p(\mathbf{r}_1)$ and $\rho_t(\mathbf{r}_2)$ are the nuclear matter density distributions of both the projectile and target nuclei, respectively. Gaussian density distributions (GD) have been used for both nuclei [14] defined as:

$$\rho(r) = \rho_{(0)} exp(-\beta r^2) \tag{5}$$

where β is adjusted to reproduce the experimental values for the root-mean-square radii of d=2.11 fm and ¹³C=2.44 fm [15]. $\rho_{(0)}$ values can be obtained from the normalization condition

$$\int \rho(r)r^2 dr = \frac{A}{4\pi} \tag{6}$$

where A is the mass number.

The effective nucleon-nucleon interaction, ν_{NN} , is integrated over both density distributions. Several nucleon-nucleon interaction expressions can be used for the folding model potentials. We have chosen the most common one, the M3Y (Michigan-3-Yukawa) realistic nucleon-nucleon interaction. The M3Y has two forms, one corresponds to M3Y-Reid [16] and another is based on the so-called M3Y-Paris interaction [17]. In the present work, we use the former form with the relevant exchange correction term due to the Pauli principle, given by

$$\nu_{NN}(r) = 7999 \frac{exp(-4r)}{4r} - 2134 \frac{exp(-2.5r)}{2.5r} + J_{00}(E)\delta(r)MeV, \tag{7}$$

where $J_{00}(E)$ represents the exchange term, since nucleon exchange is possible between the projectile and the target.

XXIII International School on Nuclear Physics	, Neutron Physics and Ap	plications	IOP Publishing
Journal of Physics: Conference Series	1555 (2020) 012028	doi:10.1088/1742	-6596/1555/1/012028

In this case while the real part of the optical model has been obtained by using the abovedescribed DF model, we have used the WS form for the imaginary potential.

Therefore, for the nucleon–nucleon-DF potential case, the nuclear potential consists of a real and an imaginary part:

$$U^{DF}(r) = N_r V_{DF}(r) + iW(r).$$
(8)

where N_r is the normalization factor.

Table 1. Potential parameters obtained for elastic scattering of deuterons from ^{13}C at concerned energies.

$\mathbf{E},$	\mathbf{Set}	$\mathbf{V},$	$\mathbf{r}_{\mathbf{V}},$	$\mathbf{a_V},$	$\mathbf{N_r}$	$\mathbf{W},$	$\mathbf{r}_{\mathbf{W}},$	$\mathbf{a}_{\mathbf{W}},$
${\bf MeV}$		${\bf MeV}$	fm	\mathbf{fm}		${\bf MeV}$	\mathbf{fm}	fm
13.7	WS	105.0	1.01	0.8		8.4	1.8	0.6
	DF				1.2	8.4	1.8	0.6
14.5	WS	106.0	0.91	0.8		12.4	1.8	0.6
	DF				1.12	12.4	1.8	0.6
17.7	WS	111.5	0.91	0.8		9.4	1.8	0.6
	DF				1.02	9.4	1.8	0.6
18	WS	113.5	0.91	0.8		9.0	1.8	0.6
	DF				1.2	12.4	1.8	0.6

The comparison between the experimental data and the theoretical calculations for ${}^{13}C(d,d){}^{13}C$ at the 13.7 [8], 14.5, 17.7 [9] and 18 MeV [10] energies are shown in figure 2 based on the potential parameters, which are recorded in table 1. In figure 2 the abbreviation WS indicates the calculations of the optical model with a Woods-Saxon potential. DF corresponds to the calculations of the optical model with the folding potential for the real part. The imaginary potential was taken from WS.

The starting potential was the global potential chosen from Lohr's work [18]. Generally, the global potential was used by researchers, but in our case we changed some parameters of potential. The normal phenomenological spin-orbit potential is also given in (3), which permitted a better description of data at large angles using the next parameters: $V_{so}=9.3$ MeV, $r_{so}=0.9$ fm and $a_{so}=0.9$ fm. The radii of the nuclear density distribution for the real (r_V) , and imaginary (r_W) parts, and diffusions $(a_V \text{ and } a_W)$ of the potential were fixed to remove the discrete ambiguity in the optical potential (OP). Minimization of χ^2 with a variation of the remaining 2 parameters of OP (V, W) helped to achieve fitting the theory to the experiment. The Coulomb radius was fixed as $r_c=1.28$ fm in the OM calculations.

The normalization coefficient in the frame of DF calculations (N_r) for the real part of the potential was adjusted to be between 1.01 - 1.2.

The calculated values of the elastic scattering cross sections are in good agreement with the existing experimental data [8-10] which are presented in Fig. 2.

Analyses of the angular distributions of excited states 3.68 MeV $(3/2^{-})$, 6.86 MeV $(5/2^{+})$ and 7.55 MeV $(5/2^{-})$ of ¹³C nuclei were performed within the coupled channel method (CC). Our calculations were exclusively based on the work [19], which was performed with good resolution at energies $E(\alpha)=388$ MeV on ¹³C nuclei, where it was shown that the states of 3.68 MeV $(3/2^{-})$ and 7.55 MeV $(5/2^{-})$ are mainly excited, i.e. with L = 2. The Woods-Saxon (CC(WS)) and double folding (CC (DF)) potential parameters were used in the calculations. The comparison between the experimental data and theoretical predictions for the states 3.68 MeV $(3/2^{-})$, 6.86



Figure 2. Comparison between the experimental data and the calculated differential cross section for elastic scattering of deuterons from ¹³C at energies 13.7, 14.5, 17.7 and 18 MeV using Woods-Saxon (WS) and double folding (DF) potentials.

MeV $(5/2^+)$ and 7.55 MeV $(5/2^-)$ at energy E(d)=14.5 MeV are shown in figure 3. The CC (DF) provides the best description of the experimental data.

The parameters with information about the relevant state, such as spin, parity and excitation energy should be provided in the frame of coupled channel calculations, as we mentioned above. In addition the deformation parameter is used as an adjustable quantity. Calculations allowed us to estimate the value of the quadrupole deformation parameter of the target nucleus: $\beta_2 = 0.51$, which agrees with the data from other sources. The deformation parameter of the ¹³C nucleus is in the range 0.45 - 0.6, as mentioned in [7,20].



Figure 3. Comparison between the experimental data and the calculated differential cross section for inelastic scattering of deuterons from ¹³C (3.68 MeV (3/2⁻); 6.86 MeV (5/2⁺); 7.55 MeV (5/2⁻)) at energy 14.5 MeV using different potentials in coupled channel method: Woods-Saxon (WS) and double folding (DF).

3. Summary

New experimental data were presented for the processes of elastic and inelastic scattering leading to the 3.68 MeV $(3/2^-)$, 6.86 MeV $(5/2^+)$ and 7.55 MeV $(5/2^-)$ excited state in ¹³C using deuteron beams at an energy of 14.5 MeV incident on a ¹³C target. Optical model (phenomenological) and double folding (semi-microscopic), as two of the most suitable approaches were used for analyzing the mechanism of deuteron elastic scattering. Additionally, we applied and compared our data analyzes with the previous measurements at higher energies. The data for the excited states were analyzed within the framework of coupled channel method with two different potentials of Woods-Saxon and double folding. The obtained deformation parameters for the ¹³C nucleus at 14.5 MeV are close to the results obtained in [7,20].

In the nearest future we would consider presentation and analysis of data on inelastic scattering of other states: $3.09 \text{ MeV}(1/2^+)$ - state with neutron halo, $8.86 \text{ MeV}(1/2^-)$ - analogue of the Hoyle state in the ¹²C and 9.90 MeV (3/2⁻) – possible compact cluster state, which were

observed but have not been analyzed yet. It is planned to complete and finish analysis of this data using the parameters of optical potentials found in this study in future works.

Acknowledgments

The work was supported by the Russian Foundation for Basic Research project number 20-32-70115.

References

- [1] Otsuka T, Fukunishi N and Sagawa H 1993 Phys. Rev. Lett. 70 1385
- [2] Burtebayev N, Janseitov D M, Kerimkulov Zh, Mukhamejanov Y S, Nassurlla M, Demyanova A S, Danilov A S, Ogloblin A A and Aimaganbetov A S 2018 Int. J. Modern Phys. E 27(3) 1850025
- [3] Demyanova A S 2016 et.al., EPJ Web of Conferences 117 0401
- $[4]\,$ Milin M and von Oertzen W 2002 EPJ A ${\bf 14}$ 295
- [5] Demyanova A S et.al. 2015 JETP Letters 102 (7) 413
- [6] Burtebayev N, Janseitov D M, Kerimkulov Z, Nassurlla M, Mukhamejanov Y S, Aimaganbetov A S and Valiolda D S 2018 Jour. of Phys. Conference series 1023 012025
- [7] Burtebayev N, Sakhiyev S K, Janseitov D M, Kerimkulov Z, Alimov D and Danilov A N 2016 Int. J. Modern Phys. E 25(10) 1650078
- [8] Guratzsch H, Slotta J and Stiller G 1970 Nucl. Phys. A 140 129
- [9] Peterson R J, Bhang H C, Hamill J J and Masterson T G 1984 Nucl. Phys. A 425 469
- [10] Dyachkov V V, Burtebayev N and Yushkov A V 2012 Bull. Russian Academy of Sc. Phys. 79 89
- [11] Hamada Sh, Hirabayashi Y, Burtebayev N and Ohkubo S 2013 Phys. Rev. C 87 024311
- [12] Thompson I J 1988 Comput. Phys. Rep. 167 7
- [13] Gontchar I I and Chushnyakova M V 2010 Comput. Phys. Commun. 181 168
- [14] Karakoc M and Boztosun I 2006 Phys. Rev. C 73 047601
- [15] Vries H De, De Jager C W and De Vries C 1987 Atomic Data and Nuclear Data Tables 36 495
- [16] Bertsch G, Borysowicz J, McManus H and Love W G 1977 Nucl. Phys. A 284 399
- [17] Anantaraman N, Toki H and Bertsch G F 1983 Nucl. Phys. A 398 269
- [18] Lohr J M and Haeberli W 1974 Nucl. Phys. A 232 381
- [19] Kawabata T et.al. 2008 Int. J. Modern Phys. E 17(10) 2071
- [20] Abele H et. al. 1987 Atomic nuclei 15 373