

ISSN 2616-7034

Л.Н. Гумилев атындағы Еуразия ұлттық университетінің

# ХАБАРШЫСЫ

---

**BULLETIN**  
of the L.N. Gumilyov Eurasian  
National University

**ВЕСТНИК**  
Евразийского национального  
университета имени Л.Н. Гумилева

**БИОЛОГИЯЛЫҚ ҒЫЛЫМДАР** сериясы

**BIOSCIENCE Series**

Серия **БИОЛОГИЧЕСКИЕ НАУКИ**

№2(123)/2018

Founded in 1995

1995 жылдан бастап шыгады

Published 4 times a year

Издаётся с 1995 года  
Жылдана 4 рет шыгады  
Выходит 4 раза в год

**Астана, 2018**  
**Astana, 2018**

*Бас редакторы*  
ҚР ҰҒА академигі, б.ғ.д, профессор  
**Р.І. Берсімбай** (Қазақстан)

*Бас редактордың орынбасары*

**Р.Т. Омаров**, PhD, б.ғ.к.,  
профессор (Қазақстан)

*Редакция алқасы*

<b>Абжалелов А.Б.</b>	б.ғ.д., проф. (Қазақстан)
<b>Акильжанова А.Р.</b>	PhD, м.ғ.д.(Қазақстан)
<b>Аликулов З.А.</b>	б.ғ.к., проф. (Қазақстан)
<b>Антипов А.Н.</b>	б.ғ.к. (Ресей)
<b>Аскарова Ш.Н.</b>	б.ғ.к., PhD (Қазақстан)
<b>Ау У.</b>	PhD, проф. (АҚШ)
<b>Бисенбаев А.К.</b>	б.ғ.д., проф., ҚР ҰҒА академигі (Қазақстан)
<b>Высоцкая Л.В.</b>	б.ғ.д., проф. (Ресей)
<b>Закиян С.М.</b>	б.ғ.д., проф. (Ресей)
<b>Изотти А.</b>	PhD, проф. (Италия)
<b>Ильдербаев О.З.</b>	м.ғ.д., проф. (Қазақстан)
<b>Константинов Ю.М.</b>	б.ғ.д., проф. (Ресей)
<b>Кухар Е.В.</b>	б.ғ.д., доцент (Қазақстан)
<b>Масалимов Ж.К.</b>	PhD, б.ғ.к. (Қазақстан)
<b>Моше Саги</b>	PhD, проф. (Израиль)
<b>Сарбасов Д.Д.</b>	PhD, проф. (АҚШ)
<b>Стегний В.Н.</b>	б.ғ.д., проф. (Ресей)
<b>Шустов А.В.</b>	PhD, б.ғ.к. (Қазақстан)

*Редакцияның мекенжайы:* 010008, Қазақстан, Астана қ., Сәтпаев к-си, 2, 408 6.  
Тел.: (7172) 709-500 (ішкі 31-428)  
E-mail: eurjourbio@enu.kz

*Жауапты хатшы, компьютерде беттеген*  
А. Нұрболат

**Л.Н. Гумилев атындағы Еуразия ұлттық университетіндегі хабаршысы.**  
**БИОЛОГИЯЛЫҚ ҒЫЛЫМДАР** сериясы

Меншіктенуші: ҚР БжФМ "Л.Н. Гумилев атындағы Еуразия ұлттық университеті" ШЖҚ РМК  
Мерзімділігі: жылдан 4 рет.

Қазақстан Республикасының Ақпарат және коммуникациялар министрлігімен тіркелген.  
27.03.2018ж. №16998-Ж тіркеу күелігі.

Тиражы: 20 дана

Типографияның мекенжайы: 010008, Қазақстан, Астана қ., Қажымұқан к-си ,12/1,  
тел.: (7172)709-500 (ішкі 31-428)

*Editor-in-Chief*  
Academician of NAS RK, Doctor of Biological Sciences, Pof.  
**R.I. Bersimbaev** (Kazakhstan)

*Deputy Editor-in-Chief*

**R.T. Omarov**, Prof., Candidate of Biological Sciences, PhD (Kazakhstan)

*Editorial board*

**Abzhalelov A.B.**

Doctor of Biological Sciences, Prof. (Kazakhstan)

**Akilzhanova A.R.**

PhD, Doctor of Medical Sciences (Kazakhstan)

**Alikulov Z.A.**

Prof., Can. of Biological Sciences (Kazakhstan)

**Antipov A.N.**

Can. of Biological Sciences (Russia)

**Askarova Sh.N.**

PhD, Can. of Biological Sciences (Kazakhstan)

**Au W.**

PhD, Prof. (USA)

**Bisenbayev A.K.**

Doctor of Biological Sciences, prof. , academician of NAS RK, (Kazakhstan)

**Ilderbayev O.Z.**

Doctor of Medical sciences, Prof. (Kazakhstan)

**Izzotti A.**

PhD, Prof. (Italy)

**Konstantinov Yu. M.**

Doctor of Biological Sciences, Prof. (Russia)

**Kukhar E.V.**

Ass. Prof. Doctor of Biological Sciences (Kazakhstan)

**Massalimov Zh.K.**

PhD, Can. of Biological Sciences (Kazakhstan)

**Moshe Sagi**

PhD, Prof. (Israel)

**Shustov A.V.**

PhD, Can. of Biological Sciences (Kazakhstan)

**Stegniy V.N.**

Doctor of Biological Sciences, prof. (Russia)

**Sarbassov D.D.**

PhD, Prof. (USA)

**Vycotskaya L.V.**

Doctor of Biological Sciences, prof. (Russia)

**Zakiyan S.M.**

Doctor of Biological Sciences, prof .(Russia)

*Editorial address:* 2, Satpayev str., of. 408, Astana, Kazakhstan, 010008

Tel.: (7172) 709-500 (ext.31-428)

E-mail: eurjourbio@enu.kz

*Responsible secretary, computer layout:*

A.Nurbolat

**Bulletin of the L.N. Gumilyov Eurasian National University. BIOSCIENCE Series**

Owner:Republican State Enterprise in the capacityof economic conduct "L.N. Gumilyov Eurasian National University" Ministry of Education and Science of the Republic of Kazakhstan

Periodicity: 4 times a year

Registered by the Ministry of Information and Communication of the Republic of Kazakhstan. Registration certificate №16998-ЖК from 27.03.2018. Circulation: 20 copies

Address of printing house: 12/1 Kazhimukan str., Astana, Kazakhstan 010008;  
tel.: (7172) 709-500 (ext.31-428)

*Главный редактор*  
профессор, д.б.н., академик НАН РК  
**Р.И. Берсимбай** (Казахстан)

*Зам. главного редактора*

**Р.Т. Омаров**, PhD, к.б.н.,  
профессор (Казахстан)

*Редакционная коллегия*

<b>Абжалелов А.Б.</b>	д.б.н., проф. (Казахстан)
<b>Акильжанова А.Р.</b>	PhD, д.м.н. (Казахстан)
<b>Аликулов З.А.</b>	к.б.н., проф. (Казахстан)
<b>Антипов А.Н.</b>	к.б.н. (Россия)
<b>Аскарова Ш.Н.</b>	к.б.н., PhD (Казахстан)
<b>Ау У.</b>	PhD, проф. (США)
<b>Бисенбаев А.К.</b>	д.б.н., проф., академик НАН РК (Казахстан)
<b>Высоцкая Л.В.</b>	д.б.н., проф. (Россия)
<b>Закиян С.М.</b>	д.б.н., проф. (Россия)
<b>Изотти А.</b>	PhD, проф. (Италия)
<b>Ильдербаев О.З.</b>	д.м.н., проф. (Казахстан)
<b>Константинов Ю.М.</b>	д.б.н., проф. (Россия)
<b>Кухар Е.В.</b>	д.б.н., доцент (Казахстан)
<b>Масалимов Ж.К.</b>	PhD, к.б.н. (Казахстан)
<b>Моше Саги</b>	PhD, проф. (Израиль)
<b>Сарбасов Д.Д.</b>	PhD, проф. (США)
<b>Стегний В.Н.</b>	д.б.н., проф.(Россия)
<b>Шустов А.В.</b>	PhD, к.б.н. (Казахстан)

*Адрес редакции:* 010008, Казахстан, г. Астана, ул. Сатпаева, 2, каб. 408

Тел.: (7172) 709-500 (вн. 31-428)

E-mail: eurjourbio@enu.kz

*Ответственный секретарь, компьютерная верстка*

А. Нурболат

**Вестник Евразийского национального университета имени Л.Н. Гумилева.  
Серия БИОЛОГИЧЕСКИЕ НАУКИ**

Собственник: РГП на ПХВ "Евразийский национальный университет имени Л.Н. Гумилева" МОН РК  
Периодичность: 4 раза в год

Зарегистрирован Министерством информации и коммуникаций Республики Казахстан.

Регистрационное свидетельство №16998-Ж от 27.03.2018г.

Тираж: 20 экземпляров

Адрес типографии: 010008, Казахстан, г. Астана, ул. Кажимукана, 12/1,  
тел.: (7172)709-500 (вн.31-428)

**Л.Н. ГУМИЛЕВ АТЫНДАҒЫ ЕУРАЗИЯ ҰЛТТЫҚ УНИВЕРСИТЕТИНІҢ  
ХАБАРШЫСЫ. БИОЛОГИЛЫҚ ҒЫЛЫМДАР СЕРИЯСЫ**

**№2(123)/2018**

**МАЗМҰНЫ**

**Биология**

<i>Ақбасова А.Ж., Ермұхамбетова Р.Ж., Мукиянова Г.С., Тлеукулова Ж.Б., Касенова С.М., Ділдабек А.Б., Ильясова Б.Б., Стамгалиева З.Б., Омаров Р.Т.</i> TBSV P19 ақуызы Solanum lycopersicum өсімдігінің салицил қышқылымен белсендендерлілетін қорғаныс механизмінің триггері ретінде	8
<i>Бектуррова А.Ж., Сагындыков У.З., Масалимов Ж.К.</i> Кейбір көмірсүтектотықтырушы микроағзалардың әмульгирлеуші белсенділігі	19
<i>Бисенова Г.Н., Закарья К.Д., Сармурзина З.С., Уразова М.С., Шахабаева Г.С., Рысбек А.Б.</i> Балықтың инфекциялық ауыру козығуларына арналған пробиотиктердің қолдану	24
<i>Жантлеуова А.К., Укбаева Т.Д.</i> Патогендік микроорганизмдерді генотиптеу әдістері	34
<i>Наекова С.К., Кулатаева М.С., Аликулов З.А.</i> Өсімдіктердің құргақшылыққа және тұздылыққа тәзімділігіне диатомиттің биохимиялық әсері	41
<i>Қуанбай Ж.І., Адманова Г.Б.</i> Донызтау флорасы мен есімдіктерін зерттеу тарихы	49
<i>Укбаева Т.Д., Дюсембекова Да.А.</i> Балалық аутизм проблемасы	54
<i>Стамгалиева З.Б., Ильясова Б.Б., Ділдабек А.Б., Тлеуқұлова Ж.Б., Мукиянова Г.С., Ақбасова А.Ж., Омаров Р.Т.</i> Патогенезді дамытуда сатилемдердің вирусының биологиялық рөлі.	61
<i>Секенова А.Е., Оғай В.Б.</i> Иммундық жауаптарды реттеудегі мезенхималды діңгек жасушаларының рөлі	69
<i>Тасбулатова Г.С., Мукатаева Ж.М.</i> Павлодар қаласындағы төменгі сынып оқушыларының морфологиялық жағдайы	84
<i>Чуленбаева Л.Е., Кастанский С.В., Ілдербаев О.З.</i> Шаң-радиация факторының қосарлы әсерінің кейінгі кезеңіндегі иммуноглобулин-дердің салыстырмалы сараптамасы	89

**BULLETIN OF L.N. GUMILYOV EURASIAN NATIONAL UNIVERSITY. BIOSCIENCE  
SERIES**  
№2(123)/2018

**CONTENTS**

**Biology**

<i>Akbassova A.Zh., Yermukhambetova R.Zh., Mukianova G.S., Tleukulova Z.B., Kassenova S.M., Dildabek A.B., Ilyasova B.B., Stamgaliyeva Z.B., Omarov R.T.</i> TBSV P19 protein as a trigger of salicylic acid-induced resistance of <i>Solanum lycopersicum</i>	8
<i>Bekturova A.Zh., Sagyndykov U.Z., Masalimov Zh.K.</i> The emulsifying activity of several hydrocarbon-degrading microorganisms	19
<i>Bissenova G.N., Zakarya K.D., Sarmurzina Z.S., Urazova M.S., Shahabayeva G.S., Rysbek A.B.</i> The use of probiotics for infectious agents of fish	24
<i>Zhantleuova A.K., Ukbaeva T.D.</i> Methods of genotyping of pathogenic microorganisms	34
<i>Nayekova S.K., Kulataeva M.S., Alikulov Z.A.</i> Biochemical Mechanisms of the Improvement of Plant Tolerance to the Salinity and Frought by the Diatomite	41
<i>Kuanbai Zh.I., Admanova G.B.</i> The History of Donyztau flora and vegetation research	49
<i>Ukbaeva T.D., Djusembekova D.A.</i> The problem of childhood autism	54
<i>Stamgalieva Z.B., Ilyasova B.B., Dildabek A.B., Tleukulova Z.B., Mukianova G.S., Akbasova A.Z., Omarov R.T.</i> Biological role of the satellite virus in the development of pathogenesis	61
<i>Sekenova A., Ogay V.</i> Role of mesenchymal stem cells in the regulation of immune response	69
<i>Tasbulatova G.S., Mukataeva Zh.M.</i> The primary school kids' morphological status of Pavlodar city	84
<i>Chulenbayeva L.E., Kashanskiy S.V., Ilderbayev O.Z.</i> Comparative analysis of immunoglobulins in case of combined exposure of dust-radiation factors at remote period	89

**ВЕСТНИК ЕВРАЗИЙСКОГО НАЦИОНАЛЬНОГО УНИВЕРСИТЕТА  
ИМЕНИ Л.Н.ГУМИЛЕВА. СЕРИЯ БИОЛОГИЧЕСКИЕ НАУКИ**

**№2(123)/2018**

**СОДЕРЖАНИЕ**

<b>Биология</b>	
Ақбасова А.Ж., Ермұхамбетова Р.Ж., Мұжиянова Г.С., Тлеукулова Ж.Б., Касенова С.М., Ділдабек А.Б., Ильясова Б.Б., Стамгалиева З.Б., Омаров Р.Т. Р19 белок TBSV в качестве триггера индуцированной салициловой кислотой резистентности Solanum lycopersicum	8
Бектуррова А.Ж., Сагындыков У.З., Масалимов Ж.К. Эмульгирующая активность ряда углеводородокисляющих микроорганизмов	19
Биссенова Г.Н., Закарья К.Д., Сармурзина З.С., Уразова М.С., Шахабаева Г.С., Рысбек А.Б. Применение пробиотиков в отношении возбудителей инфекционных заболеваний рыб	24
Жантлеуова А.К., Укбаева Т.Д. Методы генотипирования патогенных микроорганизмов	34
Наекова С.К., Кулатаева М.С., Аликулов З.А. Биохимический механизм воздействия диатомита на засухоустойчивость и солеустойчивость растений	41
Куанбай Ж.И., Адманова Г.Б. Сравнительный анализ иммуноглобулинов при сочетанном воздействии пыль-радиационного фактора в отдаленном периоде	49
Укбаева Т.Д., Дюсембекова Д.А. Проблема детского аутизма	54
Стамгалиева З.Б., Ильясова Б.Б., Ділдабек А.Б., Тлеукулова Ж.Б., Мұжиянова Г.С., Ақбасова А.Ж., Омаров Р.Т. Биологическая роль сатиллетного вируса в развитии патогенеза.	61
Секенова А.Е., Огай В.Б. Роль мезенхимальных стволовых клеток в регуляции иммунного ответа	69
Тасбулатова Г.С., Мұжатаева Ж.М. Морфологическое состояние младших школьников г.Павлодара	84
Чыленбаева Л.Е., Кастанский С.В., Ильдербаев О.З. Сравнительный анализ иммуноглобулинов при сочетанном воздействии пыль-радиационного фактора в отдаленном периоде	89

**S.K. Nayekova, M.S. Kulataeva, Z.A. Alikulov**

*Department of General Biology and Genomics, L.N. Gumilyov Eurasian National University,  
Astana, Kazakhstan.  
(E-mail: n.saltan@mail.ru)*

## **Biochemical Mechanisms of the Improvement of Plant Tolerance to the Salinity and Frought by the Diatomite**

**Abstract:** The present review describes the beneficial effects of diatomite (siliceous skeletons of archaic microscopic algae – diatomei) application for improving the plant tolerance to drought and salinity. There are numerous publications on the role of diatomite in mechanical and chemical protection of plants against unfavorable environmental conditions, however, the mechanisms of such a protective effect of diatomite are poorly understood. Diatomite application improved photosynthesis, biosynthesis of soluble proteins, abscisic acid and proline, antioxidant-enzymes, superoxide dismutase (SOD), catalase (CAT), peroxidase (POD) and polyphenol oxidase (PPO) as compared to both control and stressed plants maintained at both levels of water regime.

**Keywords:** Diatomite, silica, reactive oxygen species (ROS), proline, abscisic acid (ABA), superoxide dismutase (SOD), catalase (CAT), peroxidase (POD).

Soil salinity and drought are among the most critical threats to crop productivity and food security worldwide. Approximately  $700 \times 10^6$  million hectares (ha) of land is salt affected worldwide and about 20% of the total arable area is affected by salinity with annual increase of 1–2 % [1]. In Kazakhstan, about 6.3 million ha of land is affected by salinity. Drought is another unfavorable condition for many regions of Kazakhstan. At present, from the 182 million hectares of pasture land in Kazakhstan 14 million hectares are not being used and degradation of total soil area has exceeded 50 million hectares.

Nevertheless, these lands are actively being used in agricultural production although their productivity is rather low. Due to the fact that agricultural products of the Kazakhstan are produced in such regions, the unfavorable conditions of these regions endanger the state's food security.

In agricultural production the main method of combating salinization is the melioration of saline soils and the creation of reliable drainage and watering of the soil after harvest. These processes are both extremely expensive and of little efficacy. Therefore, using natural fertilizers to increase plants' tolerance to salinity and drought is of great interest to the agriculture. Among such natural fertilizers a particularly promising one is the diatomite - a sedimentary rock consisting of shells of diatom algae [2]. Presently, diatomite is widely used in many countries. Diatomite, being a formation of the marine and lake genesis of the Paleogene-Neogene period, is over 70% siliceous skeletons of microscopic algae – diatomei [3]. It should be noted that large reserves of diatomaceous rocks are located in the Mugolzhar district of the Aktobe region of Kazakhstan. This is, undoubtedly, of great practical importance. The typical chemical composition of oven-dried diatomaceous earth is 80 to 90% silica, with 2 to 4% alumina (attributed mostly to clay minerals) and 0.5 to 2% iron oxide. Silicon is deposited in the form of  $\text{SiO}_2$  in diatomites. In living organisms, silica occurs in the form of amorphous silica ( $\text{SiO}_2 \cdot \text{H}_2\text{O}$ ) and soluble silicic acid ( $\text{Si(OH)}_4$ ).

It has been established that soluble silica has enhanced the growth, development and final yield of many plant species. The content of silica in plants is equivalent to two or more times than the major nutrients nitrogen, phosphorus and potassium supplied through fertilizers [4]. Thus, the main function of silicon in the plants is the increase their resistance to unfavorable conditions, i.e. manifested in the thickening of the epidermal tissues (mechanical protection), binding toxic compounds (chemical protection) and increasing biochemical resistance to stresses (biochemical protection). The diversity of plants demonstrating a positive response to the introduction of silicon compounds proves that all these mechanisms are typical for both silicon silicates and non-silicophiles [5].

In practice, the most effective mean of plant protection against diseases and pests is the joint use of silicon preparations and pesticides [6]. It is considered that the main protective role belongs to silica which accumulate in the epidermal tissues [7] and external hairs on leaf plates [8]. It is

assumed that orthosilicic acid (and oligosilicic acids) in the cell wall form orthosilicic ethers with proteins and with polysaccharides (pectins) which determine the strengthen? Don't understand the word) thermal insulation of the cell.

Silica binds to the proteins either through free OH groups of hydroxy amino acids (serine, tyrosine and threonine) or through N-Si bonds with amino groups of N-terminal amino acids [9]. Silica is deposited beneath the cuticle to form a double layer of cuticle-silicon. This layer can mechanically prevent fungi penetration, thereby avoiding the infection process. The protective effects of silicon in pest damage could also be related to the mechanical barrier provided by silica deposition in the cell wall which would make it difficult to penetrate into plant tissues [10].

Haijon Gong et al. (2012) demonstrated that silicon treated plants could maintain better water status than those without silicon. In his opinion, water status has been linked to its effects on accumulation of polar monosilicic acid or polymerized silicic acid in epidermal cell walls which may form hydrogen bonds between  $\text{H}_2\text{O}$  and  $\text{SiO}_2 \cdot \text{nH}_2\text{O}$  making water less likely to escape from leaf surface [11].

Matichenkov and Bocharkova (2010) reported that diatomites have chemical ability to bind toxic metals such as Cu, Pb, Cr, Ni and Co. Several mechanisms were responsible for neutralizing the heavy metals: a weak physical or strong chemical adsorption heavy metals by the diatomite and reaction between monosilicic acid and heavy metals [12].

The silica was found to have positive chemical interaction with nitrogenous (N), phosphoric (P) and potassium (K) fertilizers and secondary micronutrients. Tavakkoli et al. (2011) observed beneficial effects of silica application on phosphoric nutrition in rice crop. Silicon significantly increased P uptake by 120 percent. Although silica application improved P uptake, crop increase was more likely associated with the reduced manganese (Mn) toxicity, particularly with the increase of P/Mn and P/Fe ratios following silica application [13]. Hydroponic experiments conducted by Yang et al. (2008) showed that silica application to low P nutrient solution enhances P content in maize seedling roots. Silica application also increased dry matter production and content of silica and P in different parts of plants [14].

In some studies have shown that silica plays an important role in preventing different environmental stresses in plants [15]. Environmental stresses cause the damage in plant metabolism and also oxidative injures by enhancing the production of reactive oxygen species (ROS). Plant resistance to stress factors is associated with their antioxidant capacity and increased levels of the antioxidants may prevent stress damage. One effect of ROS accumulation in plant cells under stress is lipid peroxidation via oxidation of unsaturated fatty acids leading to membrane damage and electrolyte leakage.

Recently, two genes (*Lsi1* and *Lsi2*) encoding silica transporters have been identified in rice. *Lsi1* (low silicon 1) belongs to a *Nod26*-like major intrinsic protein subfamily in aquaporin, while *Lsi2* encodes a putative anion transporter. *Lsi1* is localized on the distal side of both exodermis and endodermis in rice roots, while *Lsi2* is localized on the proximal side of the same cells. *Lsi1* shows influx transport activity for Si, while *Lsi2* shows efflux transport activity[16].

According to Arnon and Stout (1939) silica is not considered to be an essential element for the higher plants, however, numerous studies in last decades show that it is a beneficial element for the healthy growth and development of many higher plant species such as rice and wheat. Application of silica improved the activity of photosynthetic pigments and dry matter content [17].Photosynthesis is one of the first physiological processes affected by drought. Beneficial effects of silicon on photosynthetic activity under drought and salinity have been studied in many plants. Hattori et al (2005) reported that photosynthetic rate in sorghum plants treated by silicon was higher compared with those of control plants under drought[18].

Jafari et al. (2013) reported that increased fresh and dry weight, the content of chlorophyll *a* and *b*, carotenoids and N, P, K in wheat plants at 70 days after planting with increased levels of N with diatomite and  $\text{K}_2\text{SiO}_3$  as foliar application. It was observed that the application of 150 kg N + 5 per cent diatomite increased the biological yield, crop and harvest index compared to addition of 50 or 100 kg N + 5 percent  $\text{K}_2\text{SiO}_4$ . Addition of 100 kg N with 5 per cent  $\text{K}_2\text{SiO}_4$  as foliar application had a remarkable effect on total and uptake of NPK and protein as compared with 50

or 150 kg N with  $K_2SiO_4$  as foliar application [19]. Indeed, diatomite-treated plants displayed better morphological increments and physiological activity measured in terms of shoot and root length, number of leaves, fresh and dry weights of shoots, chlorophyll *a* and *b* content as well as total pigments, total soluble sugars, photosynthetic rate, leaf stomatal conductance, leaf relative humidity and all nutrients' concentrations as opposed to non-treated faba bean plants [19].

Abdalla (2011) conducted an experiment using a series of diatomite concentrations of 0, 1,5, 3 and 4,5 10 g  $kg^{-1}$ . Results indicated that diatomite was most effective at 3g/kg and 4,5g/kg. Application of diatomite significantly offset the negative effects of salinity and increased tolerance of clovers to salinity stress, the growth parameters, photosynthesis rate and total pigments [20].

Supplementation of silica increased the transcript levels of *PsbY*, a vital polypeptide involved in photosystem II, however, at high silica concentrations *PsbY* expression was reduced. *PsaH*-is a subunit of *PSI* located in the center of *PS I* dimer. The addition of silica to the control or the treated plants increased the level of *PsaH* expression [21]. Chlorophyll content and photosynthetic activity were significantly improved despite the unfavorable effects of salinity by the silicon addition. In the absence of silicon application, the leaf ultrastructural organelles were badly damaged by salinity. It can be explained by the damage to double membrane of the organelles [22].

Lobato et al (2009) indicated that the silicon increased the tolerance to water deficit, in which the leaf relative water content, transpiration, stomatal conductance, chlorophylls *a* and *b*, as well as carotenoids were maintained in higher levels, as compared to stress plants[23].

Haijon Gong et al (2012) investigated the photosynthetic carboxylation activity in wheat leaves. The ratio of RUBPC/PEPC was decreased under drought, whereas it was increased in silicon-applied plants [11]. Adatia and Besford also reported that chlorophyl content and RUBPC activity in cucumber were increased after silicon application [24].

In a few studies the quantitative real-time PCR (qRT-PCR) was used to analyze gene expression for key antioxidant enzymes including ascorbate peroxidase, catalase, superoxid dismutase and enzymes of flavonoid biosynthesis.

The silicon-dependent expression of genes was first investigated by Watanabe et al. (2004) in rice using microarray approach. According to their results silica addition up-regulated the abundance of a zinc finger protein homolog. In general, the zinc finger proteins act as the major transcription factors for stress response genes and the enhancement of their expression[25].

Dongyun Ma (2015) studied the level of expression of stress related genes after the treatment with silicon. The contents of malondialdehyde and hydrogen peroxide ( $H_2O_2$ ) in well watered plants without silicon treatment increased, but silicon application decreased both malondialdehyde and  $H_2O_2$  content in wheat leaves exposed to drought. Ascorbate levels increased by 5,7%. They also noted that silicon application significantly decreased  $H_2O_2$  content in plants. The glutathione content of wheat leaves in the moderate drought with silicon is increased by 3,2% compared with the moderate drought without silicon.

The effects of silicon on relative expression levels of genes encoding antioxidant enzymes and ASC-GSH were also studied. The relative expression level of the *TaSOD* gene in wheat leaves in the moderate drought with silicon increased two fold compared to the control, and expression of the *TaCAT* gene increased 1.5-fold compared to the moderate drought without silicon treatment. Silicon treatment can improve *TaSOD* and *TaCAT* gene expression levels, and the effect was more significant as the drought stress progressed. In the absence of silicon application the expression levels of the *TaGR*, *TaDHAR* and *TaGS* genes in stressed plants are decreased. The relative gene expression levels in plants treated with silicon were significantly higher, which indicates that application of silicon can improve the expression of genes involved in the ASC-GSH cycle [26].

Yongchao Liang et al.(1999) investigated the effects of silicon on enzyme activity and sodium, potassium and calcium concentration in barley under salt stress. Similarly, in this study superoxide dismutase activity is increased by silicon addition, but the concentration of malondialdehyde in leaves is decreased [27]. Xuefeng Shen (2010) observed that catalase and peroxidase activities are stimulated, whilst superoxide dismutase activity is inhibited under drought stress. Also, the ultrastructure of chloroplasts which were damaged by the added NaCl significantly improved [28].

Helal R.M. (2006) determined the content and activity of catalase, superoxide dismutase, malondialdehyde, prolinein maize after silicon treatment. These results are in accordance with those of Liang (1999) and Al-aghabary et al.(2004). Addition of NaCl significantly increased the malondialdehyde content under absence of silica application, however, its content was less increased by NaCl addition in the presence of silica in nutrient solution. This study indicated that lipid peroxidation induced by NaCl was significantly lower in the silica treated maize seedlings under salt stress than that under salt stress without silica treatment. Thus, it is proposed that silica protects the lipid membranes against ROS. Production of superoxide dismutase and catalase enzymes was significantly higher with the addition of silica. Proline content in plants showed no remarkable increase with silica application. Salt stress sharply increased the free proline content. However, silica treatment caused a significant decrease in free proline content. The content of free proline and H<sub>2</sub>O<sub>2</sub> concentrations were significantly lowered with the supplemental silica than in silica untreated plants. It seems to be that silica shows protective role in the preventing negative effects of environmental stresses in maize [29].

In the absence of NaCl between barley roots treated with silica and without there of no significant differences in ATPase activity were observed. This result supports the previous findings that under salt stress, silica decreased the permeability of plasma membrane of leaf cells. Dramatic reduction of ATPase activity was found in simultaneously salt-stressed and silica-treated barley roots. Whilst NaCl decreased ATPase activity by 65.8% in the absence of silica, in the presence of silica this reduction was equal to 33,1%[30].

In interesting experiments conducted on rice (Ma and Takahashi,1993), silica supplementation decreased shoot Ca<sup>2+</sup> content by about 20% compared to rice without silicon. As a result the transpiration rate was decreased. Galves and Clark (1991) reported that addition of Si significantly reduced Ca<sup>2+</sup> content of sorghum exposed to Al but had no effect on accumulation of Ca<sup>2+</sup> [31].

Application of metasilicic acid (0, 0,04,0,08, 0,20, 0,40 or 0,80 g L<sup>-1</sup>) to hydroponically-grown *Bradyrhizobium cowpea* showed increased accumulation of silicon in roots and shoots, which triggered a significant ( $p < 0,05$ ) increase of root growth, but not shoot growth[32]. Stressful environment can induce the expression of stress related genes. Among the stress related genes transcription factors play important role in defense against biotic and abiotic stresses. TF are able bind the *cis*-elements or regulons of genes located in promoter region [33]. Plants contain diverse number of transcription factors responding to environment stress, for example dehydration responsive element binding protein (*DREB 2*) triggered by temperature and drought stress. According Khattab et al (2014) adding Si resulted in up-regulation of TFs involved in *DREB2* expression in rice. *DREB2* can stimulate a wide range of signal transduction pathways during the stress. The gene *osDREB* in rice plays an important role in biosynthesis of abscisic acid. Radioimmunoassay of lateral roots showed that abscisic acid stimulates hormonal signal and root growth is remarkably increased. The concentration of abscisic acid in roots is increased as a result of silicon application. It is suggested that this element might be an inducer of abscisic biosynthesis. In contrast, the concentration of a cytokinin zeatin ribose, is deacresed with the increasing metasilicate supply [34].

Hassan Gh. (2011) reported that silica influences the expression of defense-related genes. Twelve defense marker genes were investigated by qRT-PCR in response to silica application in plants inoculated or not inoculated with *R. solanasearum*. In response to silica treatment and inoculation with *R. solanasearum*,the expression of ethylene marker genes *JERF3* and FD-1 were significantly up-regulated relative to the inoculated and the only silica-treated plants [35].

Silicon may be involved in metabolic and physiological activity in higher plants exposed to abiotic and biotic stresses. This has not yet been determined due to the absence of direct evidence that it is part of the molecule of an essential plant constituent or metabolite [36]. But there is evidence that silicon can form bonds with organic substances. Such possible forms of compounds of silicon with organic substances of vegetation are:

- 1) Silicon membrane of the protein layer of the cell membrane of the orthosilicic and oligosilicic acids bond between silica with hydroxy groups of amino acids);
- 2) Silica forms a bond with amino group of amino acids;

3) Silica serves as a cross-linking bridge in polysaccharides (Si-O-C with sugar residues). The binding energy of silicon atoms with carbon atoms (57.6 kcal / mole) is approximately equal to the binding energy of carbon atoms with each other. The Si-C bond seems to be practically covalent [37].

Biological silicon has been found in a variety of biological organic molecules, such as peptides, proteins, carbohydrates and amines. Metabolic stages that are crucial to biosilica formation include Si uptake, storage and transportation. Biological silicification *in vivo* is the biomineralization of inorganic silica into organisms [38].

Serine-rich proteins play an important regulatory role during gene expression in all plants, first of all pre-mRNA splicing. Serine-rich proteins by the excision of introns generate multiple mature messenger-RNAs which lead to encoding of proteins with different functions and structures [39].

Mahbod Sahebi(2014) investigated serine-rich proteins for silicon accumulation in mangrove. Real-time qRT-PCR detected high expression level of the serine-rich protein gene in the root tissues of transgenic plants in response to treatment with silicon (1,5mM SiO<sub>2</sub>, 7 days) in comparison to the wild type plants. Due to the role of serine-rich protein genes in pre-mRNA splicing the expression of this gene in different parts of plants may lead to different characteristics. It was clear that the high adaptability of mangrove plants to salinity, drought and moisture stresses is strongly related to the amount of accumulated Si which is controlled by the expression level of the serine-rich protein gene [40].

Thus, Si in diatomite has enormous benefits to plants to overcome biotic and abiotic stresses by enhancing levels of the antioxidants which may prevent oxidative stress damage. Even if molecular and biochemical influence of diatomite and Si is at rudimentary stage, based on the current publications it is evident that silicon possess the ability to regulate genes involved in photosynthesis and stress related genes. In future, it is promising to investigate the influence of diatomite in Kazakhstan as a source of Si for plants and it is also very important to define biochemical mechanisms of its effects on plant growth, development and stress-tolerance.

## References

- 1 Munns R, Tester M . Mechanisms of salinity tolerance// Annu. Rev.Plant. Biol-2002. -651–681p.
- 2 Козлов А.Б. Влияние диатомита на продуктивность злаковых культур // Земледелие и его ресурсное обеспечение в современных условиях.Новгород, "НГСХА", 2010.
- 3 Murer AS, Mobil E, Mc-Cennen KL, Tk .Ellison. Steam injection project in heavy-oil diatomite//SPE Reserv.Eval-2000. Eng 3.-P.2-12
- 4 Ma J.F., Takahashi E. Soil. Fertilizer, and Plant Silicon Research in Japan:Netherlands, 2002 . -281p.
- 5 Матыченков В.В. Взаимное влияние кремниевых, фосфорных и азотных удобрений в системе почв-растение.PhD дисс. Москва- 2014.-26c.
- 6 Datnoff L.E., Snyder G.H., Deren C.W. Influence of silicon fertilizer grades on blast and brown spot development and on rice yields // Plants Dis.-1992. V.76.- P.1011-1013.
- 7 Алешин Н.Е., Авакян Ж.Р. Накопление кремнезема в различных частях зерновки риса. // Изд.Вузов СССР. Пищевая технология- 1985. -№2.- 12-14c.
- 8 Hodson M.J., Sangster A.G. Silica deposition in the influence bracts of wheat (*Triticumaestivum*). 1 Scanning electron microscopy and light microscopy // Can. J. Botany -1988. V. 66.- № 5.- P. 829-837.
- 9 Колесников М.Р. Формы кремния в растениях// Успехи биологической химии - 2001.- Т.41.- 301-332p.
- 10 Moreas, J. C., Goussain, M. M., Basagli, M. A. B., Carvalho,G. A., Ecole C. C. and Sampaio, M. V.Silicon influenceon the tritrophic interaction: Wheat plants, the greenbug *Schizaphisgraminum* (Rondani) (Hemiptera : Aphidiidae), andits natural enemies, *Chrysoperlaexterna* (Hagen) (Neuroptera :Chrysopidae) and *Aphidiuscolemani*viereck (Hymenoptera :Aphidiidae). Neotrop.Entomol-2004.-P. 619–624.
- 11 Haijun Gong. The regulatory role of silicon on water relations, photosynthetic gas exchange, and carboxylation activities of wheat leaves in field drought conditions// Acta Physiologiae Plantarium-2012.V. 34.P. 1589-1594
- 12 Matichenkov, V. V. and Bocharnikova, E. A.Technology for natural water protection against pollution from cultivated areas// 15th Annual Australian. Agronomy Conference- 2012.-P.11.
- 13 Tavakkoli, E., Lyons, G., English, P. And Chris, N. G.Silicon nutrition of rice is affected by soil pH, weathering and silicon Fertilization // Plant Nutr. Soil Sci-2012.- №174.-P.437–446.
- 14 Yang, Y., Li, J., Shi, H., Ke, Y., Yuan, J. And Tang, Z. Alleviation of silicon on low-P stresses maize (*Zea may L.*) seedlings under hydroponic culture conditions.// Agri. Sci-2008.-№4(2).P. 168-172.
- 15 Kaushik Das, Arya deep Roychoudhury. Reactive oxygen species (ROS) and response of antioxidants as ROS –scavengers during environmental stress in plants//Frontiers in environmental science-2014.-P.1-13.

- 16 Ma, J. F., and Yamaji, N. Silicon uptake and accumulation in higher plants // Trends Plant Sci. №11. 392–397. doi: 10.1016/j.tplants.2006.06.007
- 17 Arnon D.I, Stout P.B. Plant Physiol-1939.-№ 14.-P.371–375
- 18 Hattori T, Lux A, Tanimoto E, LuxovaM, Sugimoto Y, Inanaga S.The effect of silicon on the growth of sorghum under drought// In: Morita S (ed) The 6thsymphosium of the International society of Root Research. Japanese society for root research(JSRR), Nagoya, 2001. P. 348-349
- 19 Jafari, H., Madani, H., Dastan, S., Malidarreh, A. G. and Mohammadi, B. Effect of Nitrogen and Silicon Fertilizer on Rice Growth in two Irrigation Regimes // Intl. J. Agron. Plant Prod-2013.-№4.-P.3756-3761.
- 20 Abdalla, M. M. Beneficial effects of diatomite on the growth, the biochemical contents and polymorphic DNA in Lupinus albus plants grown under water stress // Agric. Biol-2011.-№ 2 (2).-P.207-220.
- 21 Song, A., Li, P., Fan, F., Li, Z., and Liang, Y. The effect of silicon on photosynthesis and expression of its relevant genes in rice (*Oryza sativa* L.) under high-zinc stress.// PLoS ONE 9:e113782. doi: 10.1371/journal.pone.0113782
- 22 Moussa H.R. Influence of exogenous application of silicon on physiological response of salt-stressed maize (*Zea mays* L.)//Inter.J. Agric.Biol- 2006.№ 8-(2).P. 293-297.
- 23 Lobato AKS, Coimbra GK, Neto MAM, Costa RCL, Filho BGS, Neto CFO, Luz LM, Barreto AGT, Pereira BWF, Alves GAR, Monteiro BS, Marochio CA Protective action of silicon on water relations and photosynthetic pigments in pepper plants induced to water deficit // Res J Biol Sci-2009. №4.-P.617–623.
- 24 Adatia M.H, Besford R.T.The effects of silicon on cucumber plants grown in recirculating nutrient solution. //Ann Bot-1986. №58.-P.343–351.
- 25 Watanabe, S., Shimoi, E., Ohkama, N., Hayashi, H., Yoneyama, T., Yazaki, J., et al. Identification of several rice genes regulated by Si Nutrition//Soil Sci. Plant Nutr-2004. №50.-P.1273–1276. doi: 10.1080/00380768.2004.10408603
- 26 Dongyun Ma, Dexiang Sun Chenyang Wang. Silicon application alleviates drought stress in wheat through transcriptional regulation of multiple antioxidant defense//J Plant Growth Regul-2016.№ 35.-P.1-10.
- 27 Yongchao Liang . Effects of silicon on enzyme activity and sodium, potassium and calcium concentration in barley under salt stress// Plant and soil-1999. №209.- P.217-224.
- 28 Xuefeng Shen,Yuyi Zhou, Liusheng Duan . Silicon effects on photosynthesis and antioxidant parameters of soybean seedlings under drought and ultraviolet-B radiation // Journal of Plant Physiology - 2010.P. №167.-P.1248-1252.
- 29 Moussa H.R. Influence of exogenous application of silicon on physiological response of salt-stressed maize (*Zea mays* L.)// Inter.J. Agric.Biol-2006. №8(2).-P.293-297.
- 30 Ma J. F and Takahashi E. Interaction between calcium and silicon in water –cultured rice plants//.Plant Soil-1993. №148.-P.107-113.
- 31 Felix D., Dakora A.B. and Aziwe Nelwamondo. Silicon nutrition promotes root and tissue mechanical strength in symbiotic cowpea//Functional Plant Biology -2003.№30.-P.947-953.
- 32 Nakashima K, Ito Y. Transcriptional regulatory networks in response to abiotic stress in *Arabidopsis* and grasses//Plant physiology- 2009. №149.-P.88-95.
- 33 Mizoi J Shinozaki, K Yamaguchi. AP2/ERF family transcription factors in plant abiotic stress responses//Biochim.Biophys. Acta- 2012. P.86-89. doi:10.1016
- 34 Khatab H.I Emam, M.A. Effect of selenium and silicon on transcription factors NAC5 and DREB2 involved in drought responsive gene expression in rice//Biol. Plant-2014.№58.-P. 265-273.doi:10.1017
- 35 Hassan Ghareeb, Zoltan Bozso, Peter G, Ott,CorneliaReprenning, Frank Stahl, Kerstin Wydra. Transcriptome of silicon-induced resistance against *Ralstoniasolanacearum* in the silicon non-accumulator tomato implicates priming effect// Physiological and molecular plant pathology-2011.-№ 70.-P. 83-89.
- 36 Xuefeng Shen, Yuyi Zhou Liusheng Duan, Zhaohu Li,EgrinyaEneji, Jianmin Li. Silicon effects on photosynthesis and antioxidant parameters of soybean seedlings under drought and ultra-B radiation// Journal of plant Physiology -2010.-№167.- P.1248-1252.
- 37 Воронков М.Ж., Зельчан. Г.И. Кремний и жизнь. Биохимия, токсикология и фармакология соединения кремния. Изд.2-ое.- 1978.- 558с.
- 38 Bauer C.A., Robinson D.B, Simmons B.A. Silica Particle formation in confined environments via bioinspired polyamine catalysis at near –neutral pH.Small -2007.№3.-P.58-62.
- 39 BergetS.M., Moore C., Sharp P.A. Spliced segments at the 5'terminus of adenovirus 2 late mRNA// Proc. Natl. Acad.Sci- 1977. №74.-P. 3171-3175.
- 40 Mahbod Sahebi Serine –rich protein is a novel positive regulator for silicon accumulation in mangrove.Gene- 2015.№556.-P.170-181.

С.К. Наекова, М.С. Кулатаева, З.А. Аликулов

Л.Н. Гумилев атындағы Еуразия үлгиттық университеті, Астана, Казахстан

Өсімдіктердің құргақшылыққа және тұздылыққа төзімділігіне диатомиттің биохимиялық әсері

**Аннотация:** Әдеби талдау нәтижесі бойынша, диатомит (ежелгі диатомды балдырлардың қаңқасы) өсімдіктердің құргақшылыққа, тұздылыққа төзімділігін арттырады. Қазіргі таңда диатомиттің механикалық және химиялық әсері жақсы зерттелген, алайда өсімдіктерге әсер ету механизмі толықтай зерттелмеген. Диатомитті қолдану фотосинтетикалық ырғакты, белоктардың синтезделу деңгейін сонымен қатар, абсцис қышқылы, пролин, супероксид дисмутаза, каталаза, пероксидаза және полифенол оксидаза мөлшерін өзгертеді және бақылаудағы өсімдіктермен

салыстырғанда жоғары деңгейде болады. Бұл әдеби шолуда стресстік жағдайда диатомит өсімдіктердің өсіп өнуіне ықпал ететіндігі жайында ақпараттар берілген.

**Түйін сөздер:** диатомит, кремний, оттегінің белсененді формалары, пролин, абсиз қышқылы, супероксид дисмутаза, каталаза, пероксидаза.

**С.К. Наекова, М.С. Кулатаева, З.А. Аликулов**

*Евразийский национальный университет имени Л.Н. Гумилева , Астана, Казахстан*

**Биохимический механизм воздействия диатомита на засухоустойчивость и солеустойчивость растений**

**Аннотация:** Анализ литературных данных показывает что, диатомит (останки древних диатомовых водорослей) благоприятно воздействует на устойчивость растений к засухе и к солевому стрессу. На сегодняшний день существуют публикации, которые раскрывают механическое и химическое влияние диатомита на растения в неблагоприятных условиях окружающей среды, но механизм воздействия изучен мало. Применение диатомита улучшает фотосинтетический ритм, уровень синтеза белков, абсизовой кислоты, пролина, супероксид дисмутазы, каталазы, пероксидазы и полифенол оксидазы по сравнению с контрольными растениями. В обзоре приведена информация о роли диатомита на рост и развитие растений в стрессовых условиях.

**Ключевые слова:** диатомит, кремний, активные формы кислорода, пролин, абсизовая кислота, супероксид дисмутаза, каталаза, пероксидаза.

## References

- 1 Munns R., Tester M.(2002) Mechanisms of salinity tolerance. *Annu Rev Plant Biol*,**59**,651-681(2002).
- 2 Kozlov A.B.Vlijanie diatomita na produktivnost' zlakovyh kul'tur . Zemledelie i ego resursnoe obespechenie v sovremennyh uslovijah. [ The influence of diatomite on the productivity of cereals], (NGSHA, N. Novgorod, 2010)[Russian]
- 3 Murer A.S. Mobil E, Mc-Clenen KL, T.K Ellison Steam injection project in heavy-oil diatomite. *SPE Reserv. Eval Eng* **3**:2-12.(2000).
- 4 Ma J.F., Takahashi E. Soil, Fertilizer, and Plant Silicon Research in Japan. (Netherlands, Elsevier,2002 P.281).
- 5 Vzaimnoe vlijanie kremnievyh, fosfornyh i azotnyhudobrenij v sistemepochva-rastenie.PhD diss [The mutual influence of silicon, phosphorus and nitrogen fertilizers in the soil-plant system. PhD thesis] (Moskva, 2014, P.26.)[in Russian]
- 6 Datnoff L.E., Snyder G.H., Deren C.W. Influence of silicon fertilizer grades on blast and brown spot development and on rice yields *Plants Dis.* **76**, 1010-1013 (1992).
- 7 Aleshin N.E., Avakjan Je.R. Nakoplenie kremnezema v razlichnyh chastjah zernovki risa [The accumulation of silica in various parts of rice grains], *Izv. vuzov SSSR. Pishhevaja tehnologija* **2**,12-14(1982). [in Russian]
- 8 Hodson M.J., Sangster A.G. Silica deposition in the influence bracts of wheat (*Triticumaestivum*). 1 Scanning electron microscopy and light microscopy *Can. J.Botany*, **66** (5),829-837(1988).
- 9 Kolesnikov M.P. Formy kremnija v rastenijah. Uspehi biologicheskoy himii,(41 301-332. 2001) [in Russian]
- 10 Moreas J.C., Goussain M.M., Basagli M.A.B., Carvalho G.A., Ecole C.C. and Sampaio M.V. Silicon influenceon the tritrophic interaction: Wheat plants, the greenbug *Schizaphisgraminum* (Rondani) (Hemiptera : Aphididae), and its natural enemies, *Chrysoperlaexterna* (Hagen) (Neuroptera :Chrysopidae) and *Aphidiuscolemani* viereck (Hymenoptera :Aphidiidae), *Neotrop.Entomol*, 619-624(2004).
- 11 Haijun Gong The regulatory role of silicon on water relations, photosynthetic gas exchange, and carboxylation activities of wheat leaves in field drought conditions. *Acta Physiologiae Plantarium*, **34**, 1589-1594.(2012)
- 12 Matichenkov V.V. and Bocharnikova E. A E. Technology for natural water protection against pollution from cultivated areas, 2010 15th Annual Australian Agronomy Conference(2010) [in Russian]
- 13 Tavakkoli E., Lyons G., English P. and Chris N.G. ( 2011) Silicon nutrition of rice is affected by soil pH, weathering and silicon Fertilization, *J. Plant Nutr. Soil Sci.*, 174: 437-446
- 14 Yang Y., Li J., Shi H., Ke Y., Yuan J.Tang Z. Alleviation of silicon on low-P stresses maize (*Zea may L.*) seedlings under hydroponicculture conditions, *J. Agri. Sci.*, 4(2), 168-172(2008)
- 15 Kaushik Das, AryadeepRoychoudhury Reactive oxygen species (ROS) and response of antioxidants as ROS - scavengers during environmental stress in plants(2014).
- 16 Ma J. F., Yamaji N. Silicon uptake and accumulation in higher plants, *Trends Plant Sci*,**1** , 392-397(2006). doi: 10.1016/j.tplants.2006.06.007
- 17 Arnon D.I., Stout PB *Plant Physiol*, 14,371-375 (1939).
- 18 Hattori T, Lux A, Tanimoto E, Luxova M, Sugimoto Y, Inanaga S The effect of silicon on the growth of sorghum under drought. In: Morita S (ed) The 6th symposium of the International society of Root Research. Japanese society for root research(JSRR), Nagoya, P. 348-349(2001).
- 19 Safari H., Madani H., Dastan S., Malidarreh A.G. Mohammadi B. Effect of Nitrogen and Silicon Fertilizer on Rice Growth in two Irrigation Regimes. *Intl. J. Agron. Plant Prod.*, 4, 3756-3761(2013).
- 20 Abdalla M.M. Beneficial effects of diatomite on the growth, the biochemical contents and polymorphic DNA in Lupinus albus plants grown under water stress, *Agric. Biol. J. N. Am.*, 2 (2), 207-220(2011).
- 21 Song A., Li P., Fan F., Li Z., Liang Y. The effect of silicon on photosynthesis and expression of its relevant genes in rice (*Oryza sativa L.*) under high-zinc stress. *PLoS ONE* 9:e113782(2014). doi: 10.1371/journal.pone.0113782

- 22 Moussa H.R. Influence of exogenous application of silicon on physiological response of salt-stressed maize (*Zea mays* L.) *Inter.J. Agric. Biol.*,8(2),293-297.(2006).
- 23 Lobato AKS, Coimbra GK, Neto MAM, Costa RCL, Filho BGS, Neto CFO, Luz LM, Barreto AGT, Pereira BWF, Alves GAR, Monteiro BS, Marochio CA Protective action of silicon on water relations and photosynthetic pigments in pepper plants induced to water deficit. *Res J BiolSci*, 4, 617-623(2009).
- 24 Adatia MH, Besford RT The effects of silicon on cucumber plants grown in recirculating nutrient solution. *Ann Bot*, 58,343-351(1986).
- 25 Watanabe, S., Shimoi, E., Ohkama, N., Hayashi, H., Yoneyama, T., Yazaki, J., et al. Identification of several rice genes regulated by Si nutrition. *Soil Sci. Plant Nutr.* **50**, 1273-1276.(2004). doi: 10.1080/00380768.2004.10408603
- 26 Dongyun Ma Dexiang Sun Chenyang Wang Silicon application alleviates drought stress in wheat through transcriptional regulation of multiple antioxidant defense, *J Plant Growth Regul*, **35**,1-10(2016).
- 27 Moussa H.R. Influence of exogenous application of silicon on physiological response of salt-stressed maize (*Zea mays* L.) *Inter.J. Agric.Biol.*,8(2)293-297(2006).
- 28 Yongchao Liang Effects of silicon on enzyme activity and sodium, potassium and calcium concentration in barley under salt stress. *Plant and soil* 209, 217-224(1999).
- 29 XuefengShen, Yuyi Zhou, Liusheng Duan Silicon effects on photosynthesis and antioxidant parameters of soybean seedlings under drought and ultraviolet-B radiation. *Journal of Plant Physiology*, 167, 1248-1252(2010).
- 30 Ma J. F Takahashi E. 1993 Interaction between calcium and silicon in water -cultured rice plants.*Plant Soil* 148,107-113.
- 31 Felix D.Dakora A.B. and Aziwe Nelwamondo A. Silicon nutrition promotes root and tissue mechanical strength in symbiotic cowpea, *Functional Plant Biology*, 30, 947-953 (2003).
- 32 Nakashima K, Ito Y (2009) Transcriptional regulatory networks in response to abiotic stress in *Arabidopsis* and grasses. *Plant physiology* 149,88-95 pp 108. 129791.
- 33 Mizoi J Shinozaki, K Yamaguchi AP2/ERF family transcription factors in plant abiotic stress responses. *Biochim.Biophys, Acta* **1819**, 86-89(2012). doi:10.1016.
- 34 Khattab H.I Emam, M.A Effect of selenium and silicon on transcription factors NAC5 and DREB2 involved in drought responsive gene expression in rice, *Biol. Plant*, **58**, 265-273(2014) doi:10.1017
- 35 Hassan Ghareeb, ZoltanBozso, Peter G, Ott,CorneliaRepenning, Frank Stahl, Kerstin Wydra Transcriptome of silicon-induced resistance against Ralstoniasolanacearum in the silicon non-accumulator tomato implicates priming effect. *Physiological and molecular plant pathology* **75** 83-89 (2011).
- 36 Xuefeng Shen, Yuyi Zhou Liusheng Duan, Zhaoju Li, EgrinyaEneji, Jianmin Li (2010) Silicon effects on photosynthesis and antioxidant parameters of soybean seedlings under drought and ultra-B radiation. *Journal of plant Physiology*, **167**, 1248-1252 (2010).
- 37 Voronkov M.G., Zelchan G.I.(1978) Kremnii I zhizn.Biochimia toksicologiya I pharmocologia [Silica and life].Izd.2,P. 558.[in Russian]
- 38 Bauer C.A., Robinson D.B, Simmons B.A Silica Particle formation in confined environments via bioinspired polyamine catalysis at near -neutral pH.*Small* (3),58-62(2007).
- 39 Berget S.M., Moore C., Sharp P.A. Spliced segments at the 5'terminus of adenovirus 2 late mRNA. *Proc. Nati. Acad.Sci.* 74,3171-3175 (1977).
- 40 Mahbod Sahebi (2014) Serine -rich protein is a novel positive regulator for silicon accumulation in mangrove, *Gene* 556 170-181.(2014).

**Сведения об авторах:**

*Наекова С.К.* - Докторант 1-курса кафедры Общей биологии и геномики, Евразийский национальный университет имени Л.Н. Гумилева, ул. Сатпаева 2, Астана, Казахстан.

*Кулатаева М.С.* - лаборант кафедры Биотехнологии и микробиологии, Евразийский национальный университет имени Л.Н. Гумилева, ул. Сатпаева 2, Астана, Казахстан.

*Аликулов З.* - Доцент кафедры Биотехнологии и микробиологии, Евразийский национальный университет имени Л.Н. Гумилева, ул. Сатпаева 2, Астана, Казахстан.

*Nayekova S.K.* - Phd doctoral student of the department of General Biology and Genomics, L.N. Gumilyov Eurasian National University, Satpayev str., Astana, Kazakhstan.

*Kulataeva M.S.* - laboratoty assistant of the department biotechnokogy and microbiology. Gumilyov Eurasian National University, Satpayev str., Astana, Kazakhstan.

*Alikulov A* - Associate Professor of the department Biotechnology and microbiology, L.N. Gumilyov Eurasian National University, atpayev str., Astana, Kazakhstan.

*Поступила в редакцию 12.04.2018*

**«Л.Н. Гумилев атындағы Еуразия ұлттық университетінің Хабаршысы. Биологиялық ғылымдар сериясы» журналында мақала жариялау ережесі**

**1. Журнал мақсаты.** Биохимия, молекулалық биология, биотехнология, биоинформатика, вирусология, биофизика, биоинженерия, физиология, ботаника, зоология, эволюциялық биология, генетика, микробиология, биомедицина салалары бойынша мүкият текстеруден өткен ғылыми құндылығы бар мақалалар жариялау.

**2. Журналда мақала жариялаушы автор мақаланың қол қойылған бір дана қағаз нұсқасын ғылыми басылымдар бөліміне (редакцияга, мекенжайы: 010008, Қазақстан Республикасы, Астана қаласы, Қ. Сәтпаев көшесі, 2, Л.Н. Гумилев атындағы Еуразия ұлттық университеті, Бас гимарат, 408 кабинет) және [eurjourbio@enu.kz](mailto:eurjourbio@enu.kz) электрондық поштасына PDF, Тех форматтарындағы нұсқаларын жіберу қажет. Мақаланың матінінің қағаз нұсқасы мен электронды нұсқалары бірдей болулыры қажет. Мақалалар қазақ, орыс, ағылшын тілдерінде қабылданады. Мақаланың тех фарматындағы улгісі [bulbio.enu.kz](http://bulbio.enu.kz) журнал сайтында берілген.**

**3. Автордың қолжазбаны редакцияға жіберуі мақаланың Л.Н. Гумилев атындағы Еуразия ұлттық университетінің хабаршысында басуға келісімін, шетел тіліне аударылып қайта басылуына келісімін білдіреді. Автор мақаланы редакцияға жіберу арқылы автор туралы мәліметтің дұрыстығына, мақала көшірілмегендігіне (плагиаттың жоқтығына) және басқа да заңсыз көшірмелердің жоқтығына кепілдеме береді.**

4. Мақаланың көлемі 18 беттен аспауга тиіс (6 беттен бастап).

5. Мақаланың құрылымы

**FTAMPK** <http://grnti.ru/>

**Автор(лар)дың аты-жөні**

**Мекеменің толық атауы, қаласы, мемлекеті** (егер авторлар әртүрлі мекемеде жұмыс жасайтын болса, онда әр автор мен оның жұмыс мекемесі қасында бірдей белгі қойылу керек)

**Автор(лар)дың E-mail-ы**

**Мақала атауы**

**Аннотация** (100-200 сөз; формуласыз, мақаланың атауын мейлінше қайталамауы қажет; әдебиеттерге сілтемелер болмауы қажет; мақаланың құрылымын (кіріспе /мақаланың мақсаты/ міндеттері /қарастырылып отырган сұрақтың тарихы, зерттеу әдістері, нәтижелер/талқылау, қорытынды) сақтай отырып, мақаланың қысқаша мазмұны берілуі қажет).

**Түйін сөздер** (6-8 сез не сез тіркесі. Түйін сөздер мақала мазмұнын көрсетіп, мейлінше мақала атауы мен аннотациядагы сөздерді қайталамай, мақала мазмұнындағы сөздерді қолдану қажет. Сонымен қатар, акпараттық іздестіру жүйелерінде мақаланы жеңіл табуға мүмкіндік беретін ғылым салаларының терминдерін қолдану қажет).

**Негізгі мәтін** мақаланың мақсаты/ міндеттері/ қарастырылып отырган сұрақтың тарихы, зерттеу әдістері, нәтижелер/талқылау, қорытынды болімдерін қамтуы қажет.

**Таблица, суреттер** – аталғаннан кейін орналастырылады. Эр таблица, сурет қасында оның аталуы болуы қажет. Сурет айқын, сканерден өтпеген болуы керек.

Мақаладағы **формулалар** тек мәтінде оларға сілтеме берілсе гана нөміренеді.

Жалпы қолданыста бар **аббревиатура** мен **қысқартула** басқалары міндетті турде алғаш қолданғанда түсіндірілуі берілуі қажет. **Каржысылай көмек туралы** ақпарат бірінші бетте көрсетіледі.

**Әдебиеттер тізімі**

Мәтінде әдебиеттерге сілтемелер тікжақшага алынады. Мәтінде әдебиеттер тізіміне сілтемелердің нөмерленуі мәтінде қолданылуына қатысты жүргізіліде: мәтінде кездескен әдебиетке алғашқы сілтеме [1] арқылы, екінші сілтеме [2] арқылы т.с. жүргізіледі. Кітапқа жасалатын сілтемелерде қолданылған беттер де көрсетілуі керек (мысалы, [1, 45 бет]). Жарияланбаған енбектерге сілтемелер жасалмайды. Сонымен қатар, рецензиядан өтпейтін басылымдарға да сілтемелер жасалмайды (әдебиеттер тізімінің әзірлеу үлгілерін төмендегі мақаланы рәсімдеу үлгісінен қараңыз).

Мақала соңындағы әдебиеттер тізімінен кейін **библиографиялық мәліметтер** орыс және ағылшын тілінде (егер мақала қазақ тілінде жазылса), қазақ және ағылшын тілінде (егер мақала орыс тілінде жазылса), орыс және қазақ тілінде (егер мақала ағылшын тілінде жазылған болса) беріледі.

**Авторлар туралы мәлімет:** автордың аты-жөні, ғылыми атагы, қызметі, жұмыс орны, жұмыс орнының мекенжайы, телефон, e-mail – қазақ, орыс және ағылшын тілдерінде толтырылады.

**6. Қолжазбаның қайтарылуы** оның журналда басылуына жіберілуін білдірмейді.

**7. Редакцияға түскен мақала жабық (анонимді) текстеруге жіберіледі.** Барлық рецензиялар авторларға жіберіледі. Автор (рецензент мақаланы түзетуге үсінис берген жағдайда) үш күн аралығында қайта қарап, қолжазбаның түзетілген нұсқасын редакцияға қайта жіберуі керек. Рецензент жарамсыз деп таныған мақала қайтара қарастырылмайды. Мақаланың түзетілген нұсқасы мен автордың рецензентке жауабы редакцияға жіберіледі.

**8. Төлемақы.** Басылымға рұқсат етілген мақала авторларына төлем жасау туралы ескертіледі. Төлем көлемі 2018 жылы 4500 теңге – ЕҮҮ қызметкерлері үшін және 5500 теңге басқа үйым қызметкерлеріне.

**Provision on articles submitted to the journal "Bulletin of L.N. Gumilyov Eurasian National University.  
BIOSCIENCE Series"**

**1.Purpose of the journal.** Publication of carefully selected original scientific works in the fields of Biochemistry, Molecular Biology, Biotechnology, Bioinformatics, Virology, Biophysics, Bioengineering, Physiology, Botany, Zoology, Evolutionary Biology, Genetics, Microbiology, Biomedicine.

2. An author who wishes to publish an article in a journal must submit the article in hard copy (printed version) in one copy, signed by the author to the scientific publication office (at the address: 010008, Republic of Kazakhstan, Astana, Satpayev St., 2. L.N. Gumilyov Eurasian National University, Main Building, room 408) and by e-mail [eurjourbio@enu.kz](mailto:eurjourbio@enu.kz) in Word, PDF and Tex format. At the same time, the correspondence between Tex-version, PDF-version and the hard copy must be strictly maintained. Article template in tex-format you can find on the journal web-site [bulbio.enu.kz](http://bulbio.enu.kz)

Language of publications: Kazakh, Russian, English.

**3. Submission of articles to the scientific publication office means the authors' consent to the right of the Publisher, L.N. Gumilyov Eurasian National University, to publish articles in the journal and the re-publication of it in any foreign language. Submitting the text of the work for publication in the journal, the author guarantees the correctness of all information about himself, the lack of plagiarism and other forms of improper borrowing in the article, the proper formulation of all borrowings of text, tables, diagrams, illustrations.**

4. The volume of the article should not exceed 18 pages (from 6 pages).

5. **Structure of the article**

**GRNTI** <http://grnti.ru/>

**Initials and Surname of the author (s)**

**Full name of the organization, city, country** (if the authors work in different organizations, you need to put the same icon next to the name of the author and the corresponding organization)

**Author's e-mail (s)**

**Article title**

**Abstract** (100-200 words, it should not contain a formula, the article title should not repeat in the content, it should not contain bibliographic references, it should reflect the summary of the article, preserving the structure of the article - introduction/problem statement/goals/history, research methods, results/discussion, conclusion).

**Keywords** (6-8 words/word combination. Keywords should reflect the main content of the article, use terms from the article, as well as terms that define the subject area and include other important concepts that make it easier and more convenient to find the article using the information retrieval system).

**The main text of the article** should contain an introduction/problem statement/goals/history, research methods, results/discussion, conclusion. Tables, figures should be placed after the mention. Each illustration should be followed by an inscription. Figures should be clear, clean, not scanned.

In the article, only those **formulas** are numbered, to which the text has references.

All **abbreviations**, with the exception of those known to be generally known, must be deciphered when first used in the text.

Information on **the financial support** of the article is indicated on the first page in the form of a footnote.

**References**

In the text references are indicated in square brackets. References should be numbered strictly in the order of the mention in the text. The first reference in the text to the literature should have the number [1], the second - [2], etc. The reference to the book in the main text of the article should be accompanied by an indication of the pages used (for example, [1, 45 p.]). References to unpublished works are not allowed. Unreasonable references to unreviewed publications (examples of the description of the list of literature, descriptions of the list of literature in English, see below in the sample of article design).

At the end of the article, after the list of references, it is necessary to indicate bibliographic data in Russian and English (if the article is in Kazakh), in Kazakh and English (if the article is in Russian) and in Russian and Kazakh languages (if the article is English language).

**Information about authors:** surname, name, patronymic, scientific degree, position, place of work, full work address, telephone, e-mail - in Kazakh, Russian and English.

6. The article must be **carefully verified**. Articles that do not meet technical requirements will be returned for revision. Returning for revision does not mean that the article has been accepted for publication.

7. **Work with electronic proofreading.** Articles received by the Department of Scientific Publications (editorial office) are sent to anonymous review. All reviews of the article are sent to the author. The authors must send the proof of the article within three days. Articles that receive a negative review for a second review are not accepted. Corrected versions of articles and the author's response to the reviewer are sent to the editorial office. Articles that have positive reviews are submitted to the editorial boards of the journal for discussion and approval for publication.

**Periodicity of the journal:** 4 times a year.

8. **Payment.** Authors who have received a positive conclusion for publication should make payment on the following requisites (for ENU employees - 4,500 tenge, for outside organizations - 5,500 tenge):

**Положение о рукописях, представляемых в журнал «Вестник Евразийского национального университета имени Л.Н.Гумилева. Серия Биологические науки»**

**1. Цель журнала.** Публикация тщательно отобранных оригинальных научных работ по направлениям биохимия, молекулярная биология, биотехнология, биоинформатика, вирусология, биофизика, биоинженерия, физиология, ботаника, зоология, эволюционная биология, генетика, микробиология, биомедицина.

**2.** Автору, желающему опубликовать статью в журнале необходимо представить рукопись в твердой копии (распечатанном варианте) в одном экземпляре, подписанном автором в Отдел научных изданий (по адресу: 010008, Казахстан, г.Астана, ул. Сатпаева, 2, Евразийский национальный университет им. Л.Н.Гумилева, Учебно-административный корпус, каб. 408) и по e-mail *eurjourbio@enu.kz* в формате Tex и PDF . При этом должно быть строго выдержано соответствие между Tex-файлом, PDF-файлом и твердой копией. Шаблон статьи в формате tex приведен на сайте журнала *bulbio.enu.kz*.

**Язык публикаций:** Казахский, русский, английский.

**3.** Отправление статей в редакцию означает согласие авторов на право Издателя, Евразийского национального университета имени Л.Н. Гумилева, издания статей в журнале и переиздания их на любом иностранном языке. Представляя текст работы для публикации в журнале, автор гарантирует правильность всех сведений о себе, отсутствие плагиата и других форм неправомерного заимствования в рукописи, надлежащее оформление всех заимствований текста, таблиц, схем, иллюстраций.

4. Объем статьи не должен превышать 18 страниц (от 6 страниц).

**5. Схема построения статьи**

**ГРНТИ** <http://grnti.ru/>

**Инициалы и Фамилию автора(ов)**

**Полное наименование организации, город, страна** (если авторы работают в разных организациях, необходимо поставить одинаковый значок около фамилии автора и соответствующей организации)

**E-mail** автора(ов)

**Название статьи**

**Аннотация** (100-200 слов; не должна содержать формулы, по содержанию повторять название статьи; не должна содержать библиографические ссылки; должна отражать краткое содержание статьи, сохраняя структуру статьи – введение/ постановка задачи/ цели/ история, методы исследования, результаты/обсуждения, заключение/ выводы).

**Ключевые слова** (6-8 слов/словосочетаний). Ключевые слова должны отражать основное содержание статьи, использовать термины из текста статьи, а также термины, определяющие предметную область и включающие другие важные понятия, позволяющие облегчить и расширить возможности нахождения статьи средствами информационно-поисковой системы).

**Основной текст статьи** должен содержать введение/ постановку задачи/ цели/ историю, методы исследования, результаты/обсуждение, заключение/ выводы.

**Таблицы, рисунки** необходимо располагать после упоминания. С каждой иллюстрацией должна следовать надпись. Рисунки должны быть четкими, чистыми, несканированными.

В статье номеруются лишь те **формулы**, на которые по тексту есть ссылки.

**Список литературы**

В тексте ссылки обозначаются в квадратных скобках. Ссылки должны быть пронумерованы строго по порядку упоминания в тексте. Первая ссылка в тексте на литературу должна иметь номер [1], вторая - [2] и т.д. Ссылка на книгу в основном тексте статьи должна сопровождаться указанием использованных страниц (например, [1, 45 стр.]). Ссылки на неопубликованные работы не допускаются. Нежелательны ссылки на нерецензируемые издания (примеры описания списка литературы, описания списка литературы см. ниже в образце оформления статьи).

В конце статьи, после списка литературы, необходимо указать **библиографические данные** на русском и английском языках (если статья оформлена на казахском языке), на казахском и английском языках (если статья оформлена на русском языке) и на русском и казахском языках (если статья оформлена на английском языке).

**Сведения об авторах:** фамилия, имя, отчество, научная степень, должность, место работы, полный служебный адрес, телефон, e-mail – на казахском, русском и английском языках.

**6.** Рукопись должна быть **тщательно выверена**. Рукописи, не соответствующие техническим требованиям, будут возвращены на доработку. Возвращение на доработку не означает, что рукопись принята к опубликованию.

**7. Работа с электронной корректурой.** Статьи, поступившие в Отдел научных изданий (редакция), отправляются на анонимное рецензирование. Все рецензии по статье отправляются автору. Авторам в течение трех дней необходимо отправить корректуру статьи. Статьи, получившие отрицательную рецензию к повторному рассмотрению не принимаются. Исправленные варианты статей и ответ автора рецензенту присылаются в редакцию. Статьи, имеющие положительные рецензии, представляются редколлегии журнала для обсуждения и утверждения для публикации.

**Периодичность журнала:** 4 раза в год.

**8.Оплата.** Авторам, получившим положительное заключение к опубликованию необходимо произвести оплату по следующим реквизитам (для сотрудников ЕНУ – 4500 тенге, для сторонних организаций – 5500 тенге):

## Мақаланы рәсімдеу үлгісі

МРНТИ 27.25.19

**А.Ж. Жубанышева<sup>1</sup>, Н. Темиргалиев<sup>2</sup>, А.Б. Утесов<sup>3</sup>**

<sup>1</sup> Институт теоретической математики и научных вычислений Евразийского национального университета имени Л.Н.Гумилева, Астана, Казахстан

<sup>2</sup> Академический региональный государственный университет имени К. Жубанова, Актобе, Казахстан

(Email: <sup>1</sup> axaulezh@mail.ru, <sup>2</sup> ntmath10@mail.ru, <sup>3</sup> adilzhan\_71@mail.ru)

### Численное дифференцирование функций в контексте Компьютерного (вычислительного) поперечника

**Аннотация:** В рамках компьютерного (вычислительного) поперечника полностью решена задача приближенного дифференцирования функций, принадлежащих классам Соболева по неточной информации, полученной от произвольного конечного множества тригонометрических коэффициентов Фурье-Лебега дифференцируемой функции... [100-200 слов]

**Ключевые слова:** приближенное дифференцирование, восстановление по неточной информации, предельная погрешность, компьютерный (вычислительный) поперечник. [6-8 слов/словосочетаний]

#### Введение

Текст введения...

Авторам не следует использовать нестандартные пакеты LaTeX (используйте их лишь в случае крайней необходимости)

#### Заголовок секции

##### 1.1 Заголовок подсекции

Окружения.

Теорема 1. ...

Лемма 1. ...

Предложение 1. ...

Определение 1. ...

Следствие 1. ...

Замечание 1. ...

Теорема 2 (Темиргалиев Н. [2]). Текст теоремы.

Доказательство. Текст доказательства.

#### 2. Формулы, таблицы, рисунки

$$\delta_N(\varepsilon_N; D_N)_Y \equiv \delta_N(\varepsilon_N; T; F; D_N)_Y \equiv \inf_{(l^{(N)}, \varphi_N) \in D_N} \delta_N \left( \varepsilon_N; \left( l^{(N)}, \varphi_N \right) \right)_Y, \quad (1)$$

где

$$\begin{aligned} \delta_N \left( \varepsilon_N; \left( l^{(N)}, \varphi_N \right) \right)_Y &\equiv \delta_N(\varepsilon_N; T; F; (l^{(N)}, \varphi_N))_Y \equiv \\ &\equiv \sup_{\substack{f \in F \\ |\gamma_N^{(\tau)}| \leq 1 (\tau=1, \dots, N)}} \left\| Tf(\cdot) - \varphi_N \left( l_N^{(1)}(f) + \gamma_N^{(1)} \varepsilon_N^{(1)}, \dots, l_N^{(N)}(f) + \gamma_N^{(N)} \varepsilon_N^{(N)}; \cdot \right) \right\|_Y. \end{aligned}$$

Таблицы, рисунки необходимо располагать после упоминания. С каждой иллюстрацией должна следовать надпись.

#### 3. Ссылки и библиография

ТАВЛИЦА 3 – Название таблицы

Простые	Не простые
2, 3, 5, 7, 11, 13, 17, 19, 23, 29	4, 6, 8, 9, 10, 12, 14



Рисунок 1 – Название рисунка

Для ссылок на утверждения, формулы и т. п. можно использовать метки. Например, теорема 2, Формула (1)

Для руководства по LATEX и в качестве примера оформления ссылок, см., например, Львовский С.М. Набор и верстка в пакете LATEX. Москва: Космосинформ, 1994.

Список литературы оформляется следующим образом.

## Список литературы

- 1 Локуциевский О.М., Гавриков М.Б. Начала численного анализа. –М.: ТОО "Янус", 1995. –581 с. - книга
- 2 Темиргалиев Н. Компьютерный (вычислительный) поперечник как синтез известного и нового в численном анализе // Вестник Евразийского национального университета имени Л.Н. Гумилева –2014. –Т.4. №101. –С. 16-33. doi: ... (при наличии) - статья
- 3 Жубанышева А.Ж., Абikenова Ш. О нормах производных функций с нулевыми значениями заданного набора линейных функционалов и их применения к поперечниковым задачам // Функциональные пространства и теория приближения функций: Тезисы докладов Международной конференции, посвященная 110-летию со дня рождения академика С.М.Никольского, Москва, Россия, 2015. – Москва, 2015. –С.141-142. - труды конференций
- 4 Курмуков А.А. Ангиопротекторная и гиполипидемическая активность леукомизина. –Алматы: Бастау, 2007. –С. 3-5 - газетные статьи
- 5 Кыров В.А., Михайличенко Г.Г. Аналитический метод вложения симплектической геометрии // Сибирские электронные математические известия –2017. –Т.14. –С.657-672. doi: 10.17377/semi.2017.14.057. – URL: <http://semr.math.nsc.ru/v14/p657-672.pdf>. (дата обращения: 08.01.2017). - электронный журнал

**А.Ж. Жұбанышева<sup>1</sup>, Н. Теміргалиев<sup>1</sup>, А.Б. Утесов<sup>2</sup>**

<sup>1</sup> Л.Н.Гумилев атындағы Еуразия үлгіттүк университеттінің теориялық математика және гылыми есептеулер институты, Астана, Қазақстан

<sup>2</sup> Қ.Жұбанов атындағы Ақтөбе өңірлік мемлекеттік университеті, Ақтобе, Қазақстан

**Компьютерлік (есептеуіш) диаметр мәнмәтінінде функцияларды сандық дифференциалдау**

**Аннотация:** Компьютерлік (есептеуіш) диаметр мәнмәтінінде Соболев класында жататын функцияларды олардың тригонометриялық Фурье-Лебег коэффициенттерінің акырлы жиынынан алынған дәл емес ақпарат бойынша жуықтау себебі толығымен шешілді [100-200 сез]

**Түйін сөздер:** жуықтау дифференциалдау, дәл емес ақпарат бойынша жуықтау, шектік қателік, Компьютерлік (есептеуіш) диаметр [6-8 сез/сөз тіркестері].

**A.Zh.Zhubanysheva<sup>1</sup>, N. Temirgaliyev<sup>1</sup>, A.B. Utesov<sup>2</sup>**

<sup>1</sup> Institute of Theoretical Mathematics and Scientific Computations of L.N. Gumilyov Eurasian National University, Astana, Kazakhstan

<sup>2</sup> K.Zhubanov Aktobe Regional State University, Aktobe, Kazakhstan

**Numerical differentiation of functions in the context of Computational (numerical) diameter**

**Abstract:** The computational (numerical) diameter is used to completely solve the problem of approximate differentiation of a function given inexact information in the form of an arbitrary finite set of trigonometric Fourier coefficients. [100-200 words]

**Keywords:** approximate differentiation, recovery from inexact information, limiting error, computational (numerical) diameter, massive limiting error. [6-8 words/word combinations]

## References

- 1 Lokucievskij O.M., Gavrikov M.B. Nachala chislennogo analiza [Elements of numerical analysis] (Yanus, Moscow, 1995). [in Russian]
- 2 Temirgaliyev N. Komp'juternyj (vychislitel'nyj) poperechnik kak sintez izvestnogo i novogo v chislennom analize [Computational (numerical) diameter as a synthesis of the known and the new in numerical analysis], Vestnik Evrazijskogo nacional'nogo universiteta imeni L.N. Gumileva [Bulletin of L.N. Gumilyov Eurasian National University], **4** (101), 16-33 (2014). [in Russian]
- 3 Zhubanyshева A.Zh., Abikenova Sh.K. O normah proizvodnyh funkciy s nulevymi znachenijami zadannogo nabora linejnyh funkcionalov i ih primenenija k poperechnikovym zadacham [About the norms of the derivatives of functions with zero values of a given set of linear functionals and their application to the width problems]. Tezisy dokladov Mezhdunarodnoj konferencii, posvjashchennaja 110-letiju so dnja rozhdenija akademika S.M.Nikol'skogo "Funktional'nye prostranstva i teoriya priblizhenija funkciy" [International conference on Function Spaces and Approximation Theory dedicated to the 110th anniversary of S. M. Nikol'skii]. Moscow, 2015, pp. 141-142. [in Russian]
- 4 Kurmukov A. A. Angioprotektornaja i gipolipidemicheskaja aktivnost' leukomizina [Angioprotective and lipid-lowering activity of leukomycin] (Bastau, Almaty, 2007, P. 3-5). [in Russian]
- 5 Kyrov V.A., Mihajlichenko G.G. Analiticheskij metod vlozhenija simplekticheskoy geometrii [The analytic method of embedding symplectic geometry], Cibirskie jelektronnye matematicheskie izvestija [Siberian Electronic Mathematical Reports], **14**, 657-672 (2017). doi: 10.17377/semi.2017.14.057. Available at: <http://semr.math.nsc.ru/v14/p657-672.pdf>. [in Russian]. (accessed 08.01.2017).

### Сведения об авторах:

*Жубанышева А.Ж.* - Старший научный сотрудник Института теоретической математики и научных вычислений, Евразийский национальный университет имени Л.Н.Гумилева, ул. Сатапаева 2, Астана, Казахстан.

*Темиргалиев Н.* - Директор Института теоретической математики и научных вычислений, Евразийский национальный университет имени Л.Н.Гумилева, ул. Сатапаева 2, Астана, Казахстан.

*Утесов А.Б.* - кандидат физико-математических наук, доцент кафедры Математики, Актибинский региональный государственный университет имени К. Жубанова, пр. А.Молдагуловой 34, Актобе, Казахстан.

*Zhubanysheva A.Zh.* - Senior researcher of the Institute of Theoretical Mathematics and Scientific Computations, L.N. Gumilyov Eurasian National University, Satpayev str., Astana, Kazakhstan.

*Temirgaliyev N.* - Head of the Institute of Theoretical Mathematics and Scientific Computations, L.N. Gumilyov Eurasian National University, Satpayev str., Astana, Kazakhstan.

*Utesov A.B.* - candidate of physical and mathematical sciences, Associate Professor of the Department of Mathematics, K.Zhubanov Aktobe Regional State University, A.Moldagulova Prospect, 34, Aktobe, Kazakhstan.

*Поступила в редакцию 15.05.2017*

Редакторы: Р.И. Берсімбай  
Шыгарушы редактор, дизайн: А. Нұрболат

Л.Н. Гумилев атындағы Еуразия ұлттық университетінің  
Хабаршысы. Биологиялық ғылымдар сериясы.  
- 2018. 2(123) - Астана: ЕҮУ. 104-б.  
Шартты б.т. - 8,48. Таралымы - 20 дана.

Мазмұнына типография жауап бермейді

Редакция мекен-жайы: 010008, Астана қ.,  
Сәтпаев 2, көшесі, 13.  
Л.Н. Гумилев атындағы Еуразия ұлттық университеті  
Тел.: (8-717-2) 70-95-00(ішкі 31-428)

Л.Н. Гумилев атындағы Еуразия ұлттық университетінің баспасында басылды